

QUICK TOW SYSTEMS



THE CHOICE IS SIMPLE.

www.tlirr.com



55 50 50 29 3 5 10 10

DEPENDABLE AND SAFE HYDRAULIC POWER MAKES IT POSSIBLE.















System stopped on tow-road

Tower raised by T-L scissor jack

Rotate wheels 90°

Gear boxes free-wheeled

Wheels turned, lower the tower

Ready for towing - Less than one minute per tower

Towing the system



You can water full circles or any segment of a circle and quickly tow to the next pivot point. End guns can be turned on to capture corners and maximize your irrigated acres.

IRRIGATE FROM 10 TO 140 ACRES PER CIRCLE ...

TO FIT YOUR FARM PRECISELY.

"Versatility" describes the T-L Quick Tow best.

Ideal where crop rotation is important ... OR when covering a lot of acres with supplemental irrigation ... OR when double cropping and timely germination of the second crop is critical. When a stationary pivot is not practical, the flexibility of the Quick Tow can provide the needed coverage and reduce your per-acre investment.

T-L's Quick Tow design retains the benefits of all other T-L systems; superior structural strength, simplicity of operation, even water distribution, safety and lower maintenance costs.



The Quick Tow design mounts the power source, hydraulic pump and fuel tank on the pivot point, making the system tow-ready with a minimum of preparation. T-L's exclusive Scissor Jacks make wheel rotation easy . . . while others struggle, you will be moved and irrigating!

Although portable, the T-L Quick Tow keeps all the benefits of continuous movement; even water distribution, gearboxes backed by the industry's best warranty, minimum maintenance, safety from high voltage and simplicity of operation offered in all T-L irrigation systems.

EXPERIENCE THE VERSATILITY OF QUICK TOW FROM T-L.



PROVEN PERFORMANCE FOR MORE THAN 60 YEARS.

Experience and dedication since 1955.







Hot dip galvanizing

Worldwide Headquarters







151 East Hwy 6 & AB Road · P.O. Box 1047 Hastings, Nebraska 68902-1047 USA Phone: 1-800-330-4264 · Fax: 1-800-330-4268 Phone: (402) 462-4128 · Fax: (402) 462-4617

sales@tlirr.com · www.tlirr.com

